



**SDFCL**  
s d FINE-CHEM LIMITED



Administrative Office: 1502, Marathon Icon, Marathon Nextgen, Veer Santaji Marg, Lower Parel, Mumbai-400013

Registered Office : 315 T.V. Ind. Estate, Worli, Mumbai-400030 India

Phone : 022-24814444 e-mail : technical@sdfine.com Website : www.sdfine.com

## CERTIFICATE OF ANALYSIS

NAME OF PRODUCT :	ACETONE BP	LICENCE NO. :	KD-40
BATCH NO. :	BPX/00860920/48	TOTAL QTY. :	17610 Kg.
MFG. DATE :	SEPT. 2020	LAB ID :	PHFP/2021/0086
EXP. DATE :	AUG. 2023	ANALYSIS DATE :	22.09.2020

TEST	ATTRIBUTE	ACTUAL
Description	Volatile, clear, colourless liquid.	Complies.
Solubility	Miscible with water and with ethanol (96%). (The vapour is flammable)	Complies.
Identification	A. It complies with the test for relative density.	Complies.
	B. An intense red colour is produced which becomes violet with the addition of 3.5 ml of acetic acid.	Complies.
	C. A greenish-blue colour is produced.	Complies.
Appearance of solution	To 10 ml add 10 ml of water. The solution is clear and colourless.	Complies.
Acidity or Alkalinity	To pass the test.	Complies.
Relative Density	0.790 to 0.793	0.791
Reducing substances	The mixture is not completely decolourised.	Complies.
Related substances (By GC)	To pass the test.	Complies.
Matter insoluble in water	Dilute 1.0 ml to 20 ml with water. The solution is clear.	Complies.
Residue on evaporation	Max. 50 ppm	15 ppm
Water	Max. 0.3% (w/v)	0.17% w/v

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY OF BP STD.

**This product is manufactured at our manufacturing unit no. 1 (Boisar).**

**For S D FINE-CHEM LIMITED**

CODE NO. : 20003BP

  
MANAGER (QC)

F-L-QC09-06.DOC

Page No : 1/1

**QUALITY CONTROL DEPARTMENT**