

CERTIFICATE OF ANALYSIS

NAME OF PRODUCT	: ACETONE BP	LICENCE NO.:	KD-40
BATCH NO.	: BPX/01430719/48	TOTAL QTY. :	17080 Kg.
MFG. DATE	: JULY 2019	LAB ID	: PHFP/1920/0144
EXP. DATE	: JUNE 2022		
ANALYSIS DATE	: 31.07.2019		

TEST	ATTRIBUTE	ACTUAL
Description Solubility	Volatile, clear, colourless liquid. Miscible with water and with ethanol (96%).(The vapour is flammable)	Complies. Complies.
Identification	A. It complies with the test for relative density. B. An intense red colour is produced which becomes violet with the addition of 3.5 ml of acetic acid . C. A greenish-blue colour is produced	Complies.
Appearance of solution	To 10 ml add 10 ml of water . The solution is clear and colourless.	Complies.
Acidity or Alkalinity	To pass the test.	Complies.
Relative Density	0.790 to 0.793	0.792
Reducing substances	The mixture is not completely decolourised	Complies.
Related substances (By GC)	To pass the test.	Complies.
Matter insoluble in water	Dilute 1.0 ml to 20 ml with water. The solution is clear.	Complies.
Residue on evaporation	Max. 50 ppm	25 ppm
Water	Max. 0.3% (w/v)	0.2% w/v

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY OF BP STD.

This product is manufactured at our manufacturing unit no. 1 (Boisar).

CODE NO. : 20003BP

For S D FINE-CHEM LIMITED

Prat
MANAGER (QC)

F-L-QC09-06.DOC

Page No : 1/1

QUALITY CONTROL DEPARTMENT