

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY

of SDFCL Mfg.Unit No.2

Survey No.299,Poicha(R),-391 780, Taluka : Savli, District : Vadodara , Gujarat
 NABL ACCREDITED T-3669 ISO/IEC 17025 : 2005 For Chemical (Fine Chemical)

LAB ID.	: RM/1920/05075	CERTIFICATE NO.	: 140519/13
NAME OF PRODUCT:	DIETHYL ETHER AR (meets analytical specifications of ACS)		
BATCH NO.	: F19A/1319/1405/31		
PRODUCT CODE	: 20094	SPECIFICATION REF.:	20094SP04
MFG. DATE	: JUNE.-2019	REASSESSMENT DATE:	MAY.-2024

CASR NO. (60-29-7)

C₄H₁₀O

M. W. : 74.12

TEST	SPECIFICATIONS	RESULTS	TEST METHOD REF.
*Description	A clear, colourless liquid, with a characteristic odour having colour not more than 10 Hazen units.	Complies	Ph Eur 6.0 th edition
*Minimum Assay(GC)	99.5%	99.50%	In house development
*Wt.per ml at 20°C	0.713 - 0.715 g	0.715 g	Ph Eur 6.0 th edition
*Boiling Range	34.0 - 35.0°C	34.2°C	Ph Eur 6.0 th edition
*Refractive Index	1.351 - 1.353	1.351	Ph Eur 6.0 th edition
MAXIMUM LIMITS OF IMPURITIES :			
*Acidity(as CH ₃ COOH)	0.001%	0.00080%	In house development
*Water	0.20%	0.026%	Ph Eur 6.0 th edition
*Residue on evaporation (excluding stabilizer)	0.001%	0.0004%	ACS 10 th edition
*Aldehydes & Ketones	0.002%	<0.002%	In house development
*Ethanol (C ₂ H ₅ OH)	0.05%	<0.05%	In house development
*Peroxide (H ₂ O ₂)	0.00003%	<0.00003%	In house development
*Substances darkened by sulphuric acid	Passes test.	Passes test.	In house development
*Methanol	0.05%	<0.05%	In house development
*Carbonyl compound (CO)	0.001%	<0.001%	In house development
*Stabilizer BHT	Abt. 10 ppm	7 ppm	In house development

“The tests marked with an * are not accredited by NABL (ISO/IEC 17025:2005)”.

.....END OF REPORT.....

(This is a computer printed report hence valid without signature)



Regd. Office : 315-317, T.V. Industrial Estate, 248, Worli Road, Mumbai-400 030, INDIA
Phone : +91 22 2495 9898 / 2495 9899 FAX No. : +91 22 2493 7232
e-mail : technical@sdfine.com Web site : www.sdfine.com

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY

of SDFCL Mfg.Unit No.2

**Survey No.299,Poicha(R),-391 780, Taluka : Savli, District : Vadodara , Gujarat
NABL ACCREDITED T-3669 ISO/IEC 17025 : 2005 For Chemical (Fine Chemical)**

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY STANDARD AS ABOVE.

Measured values given in this Certificate of Analysis are the results determined at the time of Analysis. The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

The result relate only to the sample tested.

This certificate shall not be reproduced except in full,without written consent of the Lab.management.

This product is manufactured at our manufacturing unit no. 2 (Poicha)

Sampling SOP No. : SDFCL-POI-SOP-001

For S D FINE-CHEM LIMITED

Sampling Plan : A (Sq. root of N+1)

Spl.Ref. (if any) : -

(Authorised Signatory)

.....END OF REPORT.....

(This is a computer printed report hence valid without signature)