

**CERTIFICATE OF ANALYSIS**
**QUALITY CONTROL LABORATORY**  
 of SDFCL Mfg. Unit No. 1

E27/ E28, MIDC, Tarapur Industrial Area, B-Road, Boisar-401506, Maharashtra

<b>LAB. ID</b>	: RM/2122/1827	<b>CERTIFICATE NO.</b>	: 170322/03
<b>NAME OF PRODUCT</b>	: DITHIZONE AR, ACS	<b>DATE OF ANALYSIS</b>	: 16.12.2022
<b>BATCH NO</b>	: L22A/0322/1703/31	<b>SPECIFICATION REF.</b>	: 20104SP02
<b>PRODUCT CODE</b>	: 20104	<b>RETEST DATE</b>	: MAY-2023
<b>MFG. DATE</b>	: DECEMBER-2022		

CASR NO : (60-10-6)

 $C_{13}H_{12}N_4S$ 

M.W. : 256.32

TEST	SPECIFICATIONS	RESULTS	TEST METHOD REF.
Description	Black or purple black crystalline powder	Complies.	ACS
Solubility (0.1 g substance in 20 ml chloroform)	Complete and clear.	Complies	Analar
Minimum Assay (Spectrophotometry)	85.0%	88.87%	ACS
Ratio of absorbance (at 620/450 nm)	$\geq 1.55$	2.17	Analar
<b>MAXIMUM LIMIT OF IMPURITIES</b>			
Sulphated ash	0.3%	0.28%	ACS
Heavy metals (as Pb)	0.002%	Complies [ $< 0.002\%$ ]	ACS

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY OF THE STANDARD AS STATED ABOVE.

Measured values given in this Certificate of Analysis are the results determined at the time of Analysis.

The above data do not relieve the user from analysing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use can not be derived thereof.

**The results relate only to the sample tested.**

**This certificate shall not be reproduced except in full, without written consent of the Lab. management.**

**This product is manufactured at our manufacturing unit no. 1 (Boisar).**

For S D FINE-CHEM LIMITED

<b>Sampling SOP No.</b>	: SDFCL-TAR-SWP-GEN-007
<b>Sampling Plan</b>	: A (Sq. root of N+1)
<b>Spl. Ref. (if any)</b>	: -

(Authorised Signatory)

..... END OF REPORT.....

(This is a computer printed report, valid without signature)