

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY of SDFCL Mfg. Unit No.2
 Survey No.299, Poicha(R), -391 780, Taluka : Savli, District : Vadodara , Gujarat

Testing started on : 01/06/2022
Testing completed on : 01/06/2022
Date of Reporting : 25/06/2022

Name Of The Product	METHANOL AR (Meets analytical specification of Reagent IP,BP,USP-NF,Ph.Eur.)		
Batch No.:	F22A/2122/3105/31	Product Code	20158
Mfg. Date	JUNE.-2022	Reassessment Date	MAY.-2027
Specification Reference	20158SP05	Lab ID	RM/2223/05091
CASR No.	67-56-1	Certificate No.:	310522/21
Molecular Formula	CH₃OH	Molecular Weight	32.04

S.NO.	TEST	SPECIFICATIONS	RESULTS	TEST METHOD REF.
1	Description	A clear liquid with a characteristic odour, not more than 10 Hazen units in Colour.	Complies	Ph Eur 10 th edition
2	Solubility	30% Solution in water is clear and colourless within 1 Hour.	Complies	Ph Eur 10 th edition
3	Identification test A (By FTIR) Refractive Index (n) _D ²⁰	1.328 - 1.330	1.328	Ph Eur 10 th edition
4	Identification test B (By FTIR)	Conforms	Complies	Ph Eur 10 th edition
5	Minimum Assay (By GC)	99.5%	99.96%	ACS 11 th edition, 2016
6	Wt. per ml at 20°C	0.790 - 0.793 g	0.791 g	Ph Eur 10 th edition
7	Boiling Range (64.5 - 65.5°C)	Conforms	Complies	Ph Eur 10 th edition

MAXIMUM LIMITS OF IMPURITIES :

8	Acidity (as HCOOH)	0.001%	0.00055%	In house development
9	Alkalinity (as NH ₃)	0.00017%	NIL	In house development
10	Non volatile Matter	0.001%	0.0004%	ACS 11 th edition
11	Acetone & aldehydes (as Acetone)	0.003%	0.0014%	In house development
12	Acetone (By GC)	0.001%	Complies	In house development
13	Reducing Substances	0.00025%	<0.00025%	ACS 11 th edition
14	Readily oxidisable substances	Passes test (min 5 minutes)	Complies	ACS 11 th edition
15	Readily carbonisable substances	Passes test	Complies	ACS 11 th edition

. END OF REPORT

(This is a computer printed report hence valid without signature)

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY of SDFCL Mfg. Unit No.2
 Survey No.299, Poicha(R), -391 780, Taluka : Savli, District : Vadodara , Gujarat

16	Water (KF)	0.05%	0.040%	Ph Eur 10 th edition
17	Iron (Fe)	0.0001%	0.00004%	Vogel's fifth edition Quantitative chemical Analysis
18	Maximum Absorbance in a 1.0 cm cell at:			Ph Eur 10 th edition
	230 nm	0.15	0.088	
	250 nm	0.05	0.011	
	270 nm	0.02	0.002	
	290 nm	0.01	0.002	
19	Benzene (Impurity A) (By GC)	2 ppm v/v	Complies	USP-41
20	Sum of peaks (Total Impurities) (By GC)	0.3%	<0.3%	In house development/ BP-2020
21	Related substances	Passes Test	Complies	In house development/ BP-2020
22	Sulphate (SO ₄)	0.0005%	0.0002%	In house development
23	Chloride (Cl)	0.0001%	<0.0001%	ACS 11 th edition
24	Residual solvents	Excluded by Production process	Complies	In house development

● **Packing is found to be Satisfactory / Not Satisfactory**

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY STANDARD AS ABOVE.
 Measured values given in this Certificate of Analysis are the results determined at the time of Analysis.
 The above data do not relieve the user from analyzing the product upon receipt. Any legally binding
 Assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

The results relate only to the sample tested.

This certificate shall not be reproduced except in full, without written consent of the Lab management.

For S D FINE-CHEM LIMITED, POICHA

(Authorized Signatory)
Manager Quality Control

.....END OF REPORT.....

(This is a computer printed report hence valid without signature)



Regd.Office : 315 TV Industrial Area, 248 Worli Road, Mumbai-400 030, India.
Admin. Office: 1502, Marathon Icon, Marathon Nextgen Off Ganpatrao Kadam Marg,
Veer Santaji Marg, Lower Parel, Mumbai - 400 013
E-mail : technical@sdfine.com; Web site : www.sdfine.com
Tel : 022-24814444 **Extn.** : 4510, 4507

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY of SDFCL Mfg.Unit No.2
Survey No.299,Poicha(R),-391 780, Taluka : Savli, District : Vadodara , Gujarat

.....END OF REPORT.....

(This is a computer printed report hence valid without signature)