

**CERTIFICATE OF ANALYSIS**  
**QUALITY CONTROL LABORATORY**  
 of SDFCL Mfg. Unit No. 1  
 E27/ E28, MIDC, Tarapur Industrial Area, B-Road, Boisar-401506, Maharashtra

<b>LAB. ID</b>	: RM/1920/1797	<b>CERTIFICATE NO.</b>	: 120220/07
<b>NAME OF PRODUCT</b>	: OXALIC ACID UR "UNIVERSAL REAGENT" Passes PURE & AR	<b>DATE OF ANALYSIS</b>	: 16.02.2020
<b>BATCH NO</b>	: B20A/0720/1202/32	<b>SPECIFICATION REF.</b>	: 20174URSP00
<b>PRODUCT CODE</b>	: 20174UR	<b>RETEST DATE</b>	: JANUARY-2025
<b>MFG. DATE</b>	: FEBRUARY-2020		

CASR NO. : (6153-56-6)

	(COOH) <sub>2</sub> .2H <sub>2</sub> O	M.W. : 126.07	
TEST	SPECIFICATIONS	RESULTS	TEST METHOD REF.
Description	Colourless crystals free from efflorescence.	Complies	ACS 10 <sup>th</sup> Edition
Solubility	10% solution in hot water is clear and colourless.	Complies	ACS 10 <sup>th</sup> Edition
Minimum Assay (Oxidimetric)	99.8%	101.06%	ACS 10 <sup>th</sup> Edition
Sulphated ash	Max. 0.01%	0.01%	ACS 10 <sup>th</sup> Edition

**MAXIMUM LIMITS OF IMPURITIES**

Insoluble matter	0.01%	Complies[<0.01%]	ACS 10 <sup>th</sup> Edition
Chloride (Cl)	0.0005%	Complies[<0.0005%]	ACS 10 <sup>th</sup> Edition
Nitrogen compounds (N)	0.002%	Complies[<0.002%]	ACS 10 <sup>th</sup> Edition
Sulphate (SO <sub>4</sub> )	0.005%	Complies[<0.005%]	ACS 10 <sup>th</sup> Edition
Calcium (Ca)	0.001%	Complies[<0.001%]	Analar
Copper (Cu)	0.0005%	Complies[<0.0005%]	Analar
Iron (Fe) ×	0.0002%	Complies[<0.0002%]	In house
Lead (Pb)	0.0005%	Complies[<0.0005%]	Analar
Magnesium (Mg)	0.002%	Complies[<0.002%]	Analar

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY OF THE STANDARD AS STATED ABOVE.

Measured values given in this Certificate of Analysis are the results determined at the time of Analysis.

The above data do not relieve the user from analysing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use can not be derived thereof.

**The results relate only to the sample tested.**

**This certificate shall not be reproduced except in full, without written consent of the Lab. management.**

**This product is manufactured at our manufacturing unit no. 1 (Boisar).**

**For S D FINE-CHEM LIMITED**

**Sampling SOP No.** : SDFCL-TAR-SWP-GEN-007  
**Sampling Plan** : A (Sq. root of N+1)  
**Spl. Ref. (if any)** : -

(Authorised Signatory)

..... END OF REPORT.....

(This is a computer printed report, valid without signature)