

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY of SDFCL Mfg. Unit No.2
 Survey No.299, Poicha(R), -391780, Taluka : Savli, District : Vadodara , Gujarat
 NABL ACCREDITED TC-6881 ISO/IEC 17025 : 2017 For Chemical Testing

LAB ID.	: RM/2021/10002	CERTIFICATE NO.	: 081020/04
NAME OF PRODUCT: PETROLEUM ETHER 40-60°C AR			
BATCH NO.	: A21A/0420/0810/31		
PRODUCT CODE	: 20178	SPECIFICATION REF.:	: 20178SP00
MFG. DATE	: JAN.-2021	REASSESSMENT DATE:	: DEC.-2025

CASR NO. (8032-32-4)

TEST	SPECIFICATIONS	RESULTS	TEST METHOD REF.
*Description	A clear liquid colour not more than 10 Hazen units, with a characteristic odour.	Complies	Ph Eur 6.0 th edition
*Solubility	Miscible with methanol, benzene, ether.	Complies	Ph Eur 6.0 th edition
*Wt. per ml at 20°C	About 0.640 - 0.650 gm	0.640 g	Ph Eur 6.0 th edition
*Boiling Range(40 ^o -60 ^o C)	Min. 90.0%	91%	Ph Eur 6.0 th edition
*Bromine number	< 3.0	0.16	In house development
MAXIMUM LIMITS OF IMPURITIES :			
*Water	0.015% w/v	0.007% w/v	Ph Eur 6.0 th edition
*Acidity	0.0013 ml N% w/v	0.00064 ml N%w/v	ACS 10 th edition
*Non volatile matter	0.001% w/v	0.0008% w/v	ACS 10 th edition
*Sulphur compounds(CS ₂)	0.0003% w/v	<0.0003% w/v	In house development
*Copper (Cu)	0.0001% w/v	0.00005% w/v	Vogel's fifth edition Quantitative chemical analysis
*Iron (Fe)	0.0001% w/v	0.00005% w/v	Vogel's fifth edition Quantitative chemical analysis
*Lead (Pb)	0.0001% w/v	NIL	ACS 2000

“The tests marked with an * are not accredited by NABL (ISO/IEC 17025:2017)”.

THE ABOVE BATCH MATERIAL COMPLIES WITH THE PRESCRIBED QUALITY STANDARD AS ABOVE.

Measured values given in this Certificate of Analysis are the results determined at the time of Analysis. The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

.END OF REPORT.

(This is a computer printed report hence valid without signature)



Regd.Office : 315 TV Industrial Area, 248 Worli Road, Mumbai-400 030, India.
Admin. Office: 1502, Marathon Icon, Marathon Nextgen Off Ganpatrao Kadam Marg,
Veer Santaji Marg, Lower Parel, Mumbai - 400 013
E-mail : technical@sdfine.com; Web site : www.sdfine.com
Tel : 022-24814444 **Extn.** : 4510, 4507

CERTIFICATE OF ANALYSIS

QUALITY CONTROL LABORATORY of SDFCL Mfg.Unit No.2
Survey No.299,Poicha(R),-391780, Taluka : Savli, District : Vadodara , Gujarat
NABL ACCREDITED TC-6881 ISO/IEC 17025 : 2017 For Chemical Testing

The result relate only to the sample tested.

This certificate shall not be reproduced except in full,without written consent of the Lab.management.

This product is manufactured at our manufacturing unit no. 2 (Poicha)

Sampling SOP No. : SDFCL-POI-SOP-001

Sampling Plan : A (Sq. root of N+1)

Spl.Ref. (if any) : -

For S D FINE-CHEM LIMITED

(Authorized Signatory)

.....END OF REPORT.....

(This is a computer printed report hence valid without signature)